## **Enterprise Budget:**

# **Raspberries**

RASPBERRIES ARE A FAVORITE AMONG consumers. This sweet fruit has become increasingly popular in the last decade with the United States as the world's third largest producer. Washington, California, and Oregon are the leading producers in this country, but raspberries are suitable to grow in Iowa. Raspberry harvest begins in the early months of summer and extends into early fall. The first full crop from a raspberry planting will be harvested in the second year after planting. Commercial production of raspberries is a long-term commitment with stands usually lasting 10 years. Careful site and variety selection, soil preparation and irrigation are

important in the planning process.

#### Horticultural Characteristics

Raspberries are bramble fruits in the rose family. Fruits can be black, red, purple, and yellow in color. Raspberries are perennial plants that produce buds

on the roots of red and crowns of black raspberries. The canes (or shoots) are biennial. The first-year canes, known as primocanes, are vegetative in floricanefruiting cultivars. The second year the canes, referred to as floricanes, flower, set fruit, and die.

There are two types of red raspberries. Floricane-fruiting (summer-bearing) red raspberries bear fruit only on the second-year canes in early to mid-summer. Primocane-fruiting (fall-bearing) raspberries produce fruit at the tops of

the primocanes in late summer and fall. If left to grow the second year, these canes, now the floricanes, also will bear a somewhat smaller crop on the lower portions that did not fruit in the previous season. Because they can be doublecropped, they are sometimes called "ever-bearing" raspberries. However, commercial growers find it easier to cut the primocanes to the ground after they have produced a fall crop. This makes pruning more efficient and requires less labor. It also is a good management system to reduce disease and insect problems. However, there is risk of an early fall frost destroying a portion of the yield. Cultivar selection and high tunnel production can shift and/or extend the



fruiting season. Yellow raspberries, which are a mutation of red raspberries, are typically primocane-fruiting.

Black and purple raspberries (a cross between black and red raspberries) produce fruit only on floricanes. The

primocanes of these plants are tipped each summer when they are about 36 to 48 inches tall to encourage branching and increase yields. Since the canes don't all grow at the same rate, this may require going over the planting a few times. The fruit is produced on these canes the following year and these old canes are removed after harvest when they die. In late winter or early spring, the canes, now the floricanes, are thinned to only four or five of the largest most vigorous canes per clump and the lateral branches on these canes are



cut back to about 12 inches for black raspberries and 18 inches for purple raspberries. Thus, the floricane-fruiting plants require more labor to maintain. Both the primocane- and floricanefruiting plants require a sturdy trellis to support the fruit load, improve air movement, and aid in harvest.

# Rasberries

### Potential Return

After a raspberry farm has an established crop and market, it will have regular revenues. Berry yields will vary with cultivar, growing season, and cultural maintenance. An average crop from mature raspberries (about four years old) is approximately 4,000 to 5,000 pounds per acre for primocanes and 1,500 to 3,000 for floricane-fruiting cultivars. Prices range from \$2.00 to \$3.00 per pound depending on the area and considering retail or wholesale prices.

### Risks

Raspberry plots require a relatively longterm commitment of at least 10 years. Most start-up raspberry enterprises

will not have significant revenue until the end of the second year. Late spring or early fall freezes can reduce yields, as well as winter-kill or dieback on floricanes. Inadequate moisture, especially during fruiting, will result in smaller, inferior berries.

If not immediately refrigerated, raspberry fruit spoils within 24-48 hours of picking. Berries are fragile, so grade in the field and package in marketing containers during picking to save labor and reduce addi-

tional handling. Refrigerated storage is required to maintain quality and shelf life of the fruit.

Some producers are using high tunnels to reduce risk of disease and extend the growing season. High tunnels are simple greenhouse-like structures that are typically covered with clear 6-mil plastic. They are passively heated and

ltem	Purchase price	Life	Depreciation/ year	Interest/yr	
Storage Buildings	on hand	10			
60 hp tractor	on hand	8			
Disc	on hand	15			
Cultivator & harrow	on hand	15			
Mower	on hand	15			
Sprayer	on hand	15			
Planter	2,500	30	83.33	100	
Irrigation pump	1,000	20	50	40	
Irrigation Lines	2,500	7	357.14	100	
Water source	on hand	20			
Total	6,000		490	240	





ventilated. With an extended growing season, producers can take advantage of high market prices early and late in the season. Research at Iowa State University has shown that high tunnel bramble production results in high yields of quality fruit earlier and later than fieldproduced raspberries. A report on this project can be found at: http://www. leopold.iastate.edu/research/marketing\_files/Bramble\_2008.pdf. Cornell University also has a very helpful high tunnel production guide on their web site at: http://www.fruit.cornell.edu/ Berries/bramblepdf/high\_tunnel\_production\_guide.pdf.

### Marketing

Raspberries in Iowa are typically sold direct to the consumer. These markets

# **Raspberries**

include: pick-your-own (PYO), farm gate sales, roadside stands, farmers' markets and cooperatives. PYO operations allow customers to pick their own berries for a price per unit (pound or pint). Other retail sales require producers to pick and prepare raspberries that are sold directly to consumers through a retail outlet located on the farm, at farmers' markets, and to Community Supported Agriculture (CSA) subscribers. Producers can also form a cooperative with other growers to help in marketing products.

Pick-your-own markets reduce harvesting, shipping, and storage costs while giving producers the ability to develop a loyal customer base. Farm gate sales allow producers to sell produce without having to incur transportation costs. Farmers' markets have collective advertising and an established customer base. These markets will help with business exposure and provide an additional market for berries not sold in the PYO, CSA or farm gate markets. However, producers must pick, package, and transport produce to farmers' markets where there is competition from other producers.

Note: Pricing for each of these market segments is different. Farmers' markets and CSAs will receive the highest price followed by farm gate sales, PYO, and wholesale, respectively.



YEAR	I	2	3	4	5	6+
Revenue						
Yield	0	0	1750	2630	4500	5000
Lbs @ \$2 (wholesale )	0	0	2905	4365.8	7470	8300
Variable Costs						
Labor Hours	120	208	224	240	240	240
at \$11/hr.	1320	2288	2464	2640	2640	2640
Fertilizer	0	45	45	45	45	45
Insecticide/ herbicide/ pesticide	0	49	55	55	55	55
Containers	0	0	100	175	200	200
Mach operating costs	205	205	205	205	205	205
Trellis	0	0	300	0	0	0
Miscellaneous	20	20	20	20	20	20
Operating Interest	54	94	126	121	121	121
Total Variable Costs	1599	2701	3315	3261	3286	3286
Operating Margin	-1599	-2701	-410	1104.8	4184	5014
Fixed Costs						
Plants	0	640	0	0	0	0
Cash Rent	150	150	150	150	150	150
Depreciation expense	490	490	490	490	490	490
Interest on capital invest.	240	240	240	240	240	240
Total Fixed Costs	880	1520	880	880	880	880
Total Cost	2479	4221	4195	4141	4166	4166
Profit/return to mgmt/net income	-2479	-4221	-1290	224.8	3304	4134

#### Management

Detailed information regarding raspberry management and production can be found in a publication from the Natural Resource, Agriculture and Engineering Service at Cornell University: "Raspberry and Blackberry Production Guide for the Northeast, Midwest, and Eastern Canada," NRAES-35. 2008. This publication is available online at: http://www.nraes.org/nra\_order.taf?\_ function=detail&pr\_id=171 or from NRAES Cooperative Extension PO Box 4557 Ithaca, NY 14852-4557 Phone: (607) 255-7654

#### Market Outlook

Raspberries are a popular fruit and tend to sustain demand during higher price periods. Every local market is unique, however, so market research is a must for potential producers.

# **Raspberries**

### Sources

#### Iowa State University:

Iowa Vegetable Production, pm 2017

Budgets www.extension.iastate.edu/ Publications/pm2017.pdf

learningstore.uwex.edu/pdf/A1610.pdf

www.leopold.iastate.edu/research/ marketing\_files/Bramble\_2008.pdf

Midwest Small Fruit and Grape Spray Guide 2010, Pm-1375 https://www.extension.iastate.edu/store/ ItemDetail.aspx?ProductID=4796&Seri esCode=&CategoryID=52&Keyword=

Midwest Small Fruit Pest Management Handbook, B 0861

https://www.extension.iastate.edu/store/ ItemDetail.aspx?ProductID=940&Series Code=&CategoryID Selling Fruits and Vegetables, pm 1887

https://www.extension.iastate.edu/store/ ItemDetail.aspx?ProductID=5477&Seri esCode=&CategoryID=52&Keyword=

#### Agricultural Marketing Resource Center

http://www.agmrc.org/commodities\_\_\_\_ products/fruits/raspberries.cfm

#### Cornell University- High Tunnel Production Guide

http://www.fruit.cornell.edu/Berries/ bramblepdf/high\_tunnel\_production\_ guide.pdf

www.hort.cornell.edu/grower/nybga/.../ greenhouseraspberries.pdf Prepared by Linda Naeve, Value Added Agriculture, ISU Extension, and Gail Nonnecke, ISU Department of Horticulture. Designed by Tina Davis, ISU graphics design student. Financial support from the Leopold Center for Sustainable Agriculture.

> October 2010 BFC 25 Hyperlinks in this publication were updated June 2016. Some sites are no longer available.







This institution is an equal opportunity provider. For the full non-discrimination statement or accommodation inquiries, go to <u>www.extension.iastate.edu/diversity/ext</u>.